



PERRYVILLE  
2023



PRODUCT INFORMATION GUIDE

# LANDSCAPE STONE



## ★ The Semco Promise ★

Semco Stone owns and operates our own quarries. We pride ourselves in providing a natural and quality product. Our diverse building stone collection has some of the most unique products you will find. The beauty of our products is they are made from natural stone, therefore variations should and can be expected. Even though colors in this brochure are as close to the actual stone as possible, photographic and printing techniques – and even actual viewing conditions – can alter perception of color.

Selections should be made from actual samples whenever possible, but even samples can vary from the delivered product simply because the beauty of natural stone is that each piece is unique. Semco Stone does the best we can to maintain consistent colors and textures. Communication is key with masons, contractors and your sales representative so that Semco can do our best to provide exactly what you need to complete your dream project.

As the largest distributor of natural stone products in the Midwest, at Semco Stone, we have earned our reputation through consistent products, advancements in technology, and quality and service that exceed industry standards, laying a solid groundwork for your success. We operate to ensure lasting satisfaction and something our customers can enjoy for years to come.

**"People don't buy what you do; they buy why you do it. And what you do simply proves what you believe."**





# LANDSCAPE STONE 2023

# TABLE OF CONTENTS

Prefix	Terms & Policies
Section 1	8" Drywall
Section 2	Natural Wall
Section 3	Steppers
Section 4	Flagstone
Section 5	Coping, Cap, Pattern Flag & Travertine
Section 6	Cobbles
Section 7	Boulders
Section 8	Ledge
Section 9	Edging
Section 10	Natural Stone Steps
Section 11	Treads
Section 12	Natural Stone Slabs
Section 13	Outdoor Living: Bubbling Boulders, Firepits, Fireplaces, Outdoor Islands, Pizza Ovens, Stone Benches
Section 14	Decorative Gravels - Bagged & Bulk
Section 15	Mulch & Soil
	<b>PAVERS &amp; RETAINING WALL SYSTEMS</b>
Section 16	Hessit Pavers & Anchor Retaining Walls
	<b>SAND, MORTAR, SRW, PUMPS &amp; ACCESSORIES</b>
Section 17	Polymeric Sand, Mortar, Adhesive & Countertop Sealers
Section 18	Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel, Dexpan
Section 19	Orders Ready, Over 30 Days
Section 20	Semco's Conversion Charts





- Discrepancies/damage must be reported within 5 business days of delivery.
- Special order or non-stock material - 50% non-refundable deposit prior to material being fabricated - NO RETURNS.
- Please call for Freight rate.
- Please Note: Additional freight charge on specified products as noted on price sheet.
- Products can be mixed to obtain full load price discounts.
- Pallet covers \$2.00 each.
- Terms: Net 30 days on approved credit. Service charges accrue at the rate of 1.5% per month (18% APR) on all invoices not paid by due date. Accounts 60 days or more past due are subject to COD only terms and/or suspension of delivery.
- Accepted Payment Options: Cash, check, money order, American Express / Discover / MasterCard Visa, or Check by Fax (please call for more details).
- Restocking Fee: 20% restocking fee plus freight on all returned items. No returns after 30 days. No partial pallets accepted.
- Building Products Restocking Fee: 35% restocking fee on all returned items. No returns after 30 days. No partial pallets accepted.
- Warranty Policy: All products with warranties such as Atlantic & Pond Master Pumps must be returned with a copy of the original invoice.
- Jobsite delivery charge of \$60.00 includes 1 hour for forklift & driver, each additional 1/2 hour is \$60.00.
- Prices are subject to change without notice.
- Load Changes: Cut off at 2:00 p.m. the day before shipment.
- Products shipped in full pallet quantities only.
- Stone products are a natural product and subject to the natural variances in color, size and quantity.
- Accounts without copies of proper tax exemption certificates on file will be assessed applicable taxes.
- Prices do not include templates, patterns or engineering unless otherwise indicated.
- No discounts on trucking or palletizing.
- Due to the fluctuations of fuel prices, loads are subject to fuel surcharges.

Semco Building Stone and Landscape Stone are natural stone products. Semco uses state-of-the-art technology to extract the stone in its natural state as safely as possible. However, products may contain cracks, pits, or other imperfections as a result of the quarrying process. The beauty of natural stone products resides in its unique characteristics; as a result, color, texture, size and bed-face variations will occur and may vary from samples provided to the customer and from shipment to shipment. Photographs, print material and items viewed on the Internet may be, in some measure, different from the stone you actually receive. All products are provided to you "AS IS" without warranty of any kind.

## Semco Stone 2023

Item#		Price
142	<b>Black Hills Rustic 8 inch Drywall</b> Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in. - 4.5in. and lengths of 12in. - 36in. Plt.Wt. 3200-3800 lbs. Apx. 20 sf/ton.	/ton
111	<b>Blue Sandstone 8 inch Drywall</b> Blue-gray sandstone 3in. - 4in. high X 8 deep with lengths of 12-36 . Plt.Wt. 3600-4000 lbs. Apx. 20 sf/ton.	/ton
105	<b>Calico Cream 8 inch Drywall (3 5/8 Thick) (Limited Availability)</b> Light buff to cream colored limestone, sawn top & bottom in 3 5/8in. height, split face. Some pieces may have 1 sawn long side. Plt.Wt. 3500-4000 lbs. Apx 20 sf/ton.	/ton
101-2	<b>Fond Du Lac 8 inch Drywall (2-3 Thick)</b> Gray & buff colors. Natural layered, very dense limestone in 2in. - 3in. heights, random lengths. Apx.Pl.Wt. 4000 lbs. Apx. 18 sf/ton.	/ton
101	<b>Fond Du Lac 8 inch Drywall (3-5 Thick)</b> Gray & buff colors. Natural layered, very dense limestone in 3in. - 5in. heights, random lengths. Apx.Pl.Wt. 4000 lbs. Apx. 18 sf/ton.	/ton
102	<b>Oakfield 8 inch Drywall</b> Light buff colored limestone, textured beds with quartz pockets, 3in. - 5in. heights, random lengths. Apx.Pl.Wt. 4000 lbs. Apx. 18 sf/ton.	/ton
110	<b>Rocky Mountain Rose 8 inch Drywall</b> Rose colored sandstone, snapped 8in. deep & runs 2in. - 4in. heights, random lengths. Plt.Wt. 4000-4300. Apx. 20 sf/ton.	/ton
121	<b>Scottsdale 8 inch Drywall</b> Buff, tan & white colored sandstone, snapped 8in. deep & runs 3in.- 4in. heights, random lengths. Plt.Wt. 3000-3600 lbs. Apx. 20 sf/ton.	/ton
108	<b>Silverdale 8 inch Drywall</b> Light buff to gold in color. Split edges, sawn top & bottom in 3.5in. height x random lengths. Apx. 20sf/ton.	/ton
108T	<b>Silverdale 8 inch Tumbled Drywall</b> Light buff to gold in color. Split edges, sawn top & bottom in 3.5in. height x random lengths. Tumbled. Apx. 20sf/ton.	/ton
104	<b>Sky Blue 8 inch Drywall (3 5/8 Thick) (Limited Availability)</b> Light blue limestone sawn top & bottom in 3 5/8in. height, split face. Some pieces may have 1 sawn long side. Plt.Wt. 3600- 3900 lbs. Apx. 20 sf/ton.	/ton
189	<b>Timber Creek 8 inch Drywall</b> Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. heights, random lengths. Sawn top & bottom with split edges. Plt.Wt. 3000-3500 lbs. Apx. 20 sf/ton.	/ton
189T	<b>Timber Creek 8 inch Tumbled Drywall</b> Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. heights, random lengths. Sawn top & bottom with split edges. Plt.Wt. 3000-3500 lbs. Apx. 20 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
227-BS	<b>Blue Sandstone Tumbled Natural Wall (2-3 Thick)</b> Gray to dark blue hard sandstone. Average thickness is 2in. - 3in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3500-4000 lbs. Apx. 15 sf/ton.	/ton
225	<b>Buckskin Tumbled Natural Wall</b> Multi colors of brown, rust, orange, buff & white in color & tumbled, giving it soft edges. Average thickness is 3in. with apx. 10in. - 24in. diameters. Plt.Wt. 3000-3500 lbs. Apx. 17 sf/ton.	/ton
227	<b>Choctaw Tumbled Natural Wall (2-3 Thick)</b> Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 2in. - 3in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 sf/ton.	/ton
228	<b>Choctaw Tumbled Natural Wall (3-5 Thick)</b> Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 3in. - 5in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 sf/ton.	/ton
227-U	<b>Choctaw Untumbled Natural Wall (2-3 Thick)</b> Light mocha brown color with dark brown edges & highlights. Average thickness is 2in. - 3in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 sf/ton.	/ton
228-U	<b>Choctaw Untumbled Natural Wall (3-5 Thick)</b> Light mocha brown color with dark brown edges & highlights. Average thickness is 3in. - 5in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 sf/ton.	/ton
201	<b>Fond Du Lac Natural Wall</b> Buff to gray color, natural beds. Irregular pieces of limestone with average thickness of 3in. - 4in. & 12in. - 24in. in diameter. Plt.Wt. 3000-4000 lbs. Apx. 13 sf/ton.	/ton
241	<b>Hickory Gray Tumbled Natural Wall</b> Medium to dark gray in color. 2in. - 3in. thick with diameters ranging between 12in. - 24in. Tumbled. Plt.Wt. 3000-3800 lbs. Apx. 15 sf/ton.	/ton
241-U	<b>Hickory Gray Untumbled Natural Wall</b> Medium to dark gray in color. 2in. - 3in. thick with diameters ranging between 12in. - 24in. Plt.Wt. 3000- 3800 lbs. Apx. 15 sf/ton.	/ton
206	<b>Indian Creek Stone Natural Wall (Call for Availability)</b> Dark brown to black. Flat & smooth with rounded edges. Irregular shaped pieces with an average thickness of 2in. - 4in. & apx. 10in. - 18in. diameters. Plt.Wt. 3000- 3600 lbs. Apx. 14 sf/ton.	/ton
213	<b>Old English Garden Stone Natural Wall</b> Colors range from blue to blue/green. Rolled & tumbled irregular pieces presenting a very weathered look. Apx. 1.5in. - 2.5in. thick with average diameters of 10in. - 24in. Plt.Wt. 3400-3800 lbs. Apx. 15 sf/ton.	/ton
242	<b>Sandalwood Tumbled Natural Wall</b> Colors range from sandy/buff to salmon to mauve or blush with a hint of brown on some pieces. Many pieces exhibit random striations. Very smooth surface. Apx. 8in. - 24in. in diameter & apx. 2.25in. thick. Tumbled. Plt.Wt. 3700-4400 lbs. Apx. 17 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
202	<b>Semco Weathered Fieldstone Thick Natural Wall (3-5 Thick)</b> Gray & brown mossy colored sandstone, some lichens, fairly flat. 3in. - 5in. thick. Irregular shapes with apx. 8in. - 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 sf/ton.	/ton
202-1	<b>Semco Weathered Fieldstone Thin Natural Wall (1-3 Thick)</b> Gray & brown mossy colored sandstone, some lichens, fairly flat. 1in. - 3in. thick. Irregular shapes with apx. 8in. - 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 sf/ton.	/ton
250	<b>Summit Gray Tumbled Natural Wall</b> Light gray sandstone with some brown in irregular pieces averaging 2in. - 3in. thick, apx. 12in. - 24in. length. Fairly flat beds. Plt.Wt. 2500-3000 lbs. Apx. 15 sf/ton.	/ton
251	<b>Wind River Tumbled Natural Wall</b> Orange/rust colors in irregular pieces averaging 2in. - 3in. thick, apx. 12in. - 24in. length. Fairly flat beds. Plt.Wt. 2500-3000 lbs. Apx. 15 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
305	<b>Chilton Steppers</b> Gray, blue, burgundy & red in color, averaging 1in. - 2in. thick, & apx. 12in. - 20in. in diameter. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.	/ton
302	<b>Fond Du Lac Steppers</b> Buff to gray colored limestone. Averaging 1in. - 2in. thick, irregular pieces apx. 8in. - 18in. in diameter with naturally smooth beds. Plt.Wt. 3800- 4200 lbs. Apx. 90 sf/ton.	/ton
330	<b>Hickory Gray Steppers (1 inch)</b> Medium to dark gray with a consistent 1in. thickness and diameters averaging between 12in. - 30in. Apx.Pl.Wt. 3000 lbs. Apx. 110-120 sf/ton.	/ton
331	<b>Hickory Gray Steppers (2 inch)</b> Medium to dark gray with a consistent 2in. thickness and diameters averaging between 12in. - 30in. Apx.Pl.Wt. 3000 lbs. Apx. 80 sf/ton.	/ton
312	<b>Misty Rose Steppers</b> Light buff in color with pink tones, smooth beds. Apx. 2in. thick & diameters averaging 15in. - 24in. Plt.Wt. 3700-4200 lbs. Apx. 90 sf/ton.	/ton
303	<b>Oakfield Steppers</b> Light buff colored limestone, averaging 1in. - 2in. thick, irregular pieces apx. 8in. - 18in. in diameter. Highly textured bed with quartz pockets. Plt.Wt. 3800-4200 lbs. Apx. 90 sf/ton.	/ton
304	<b>Rocky Mountain Rose Steppers</b> Light rose colored irregular pieces apx. 1in. - 2in. thick with average diameters 12in. - 18in. in size. Plt.Wt. 4000-4500 lbs. Apx. 90 sf/ton.	/ton
306	<b>Sandstone Steppers (1.5 - 2.5 inch) (Limited Availability)</b> Multi colors of brown, rust, orange, buff & white in color. Uniform thickness of apx. 1.5in. - 2.5in. and average diameters of 12in. - 24in. Plt.Wt. 3100-3700 lbs. Apx. 90 sf/ton.	/ton



## Semco Stone 2023

Item#		Price
415-1	<b>Black Hills Rustic Flagstone (1 inch)</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 110- 120 sf/ton.	/ton
415	<b>Black Hills Rustic Flagstone (2 inch)</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 2in. - 2.5in. x 12in. - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 80 sf/ton.	/ton
415-SU1	<b>Black Hills Rustic Standup Flagstone (1 inch)</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1in. -1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.	/ton
415-SU2	<b>Black Hills Rustic Standup Flagstone (2 inch)</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1.75 in - 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.	/ton
415-S	<b>Black Hills Rustic Supreme Flagstone</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 2 - 3in. x 24 - 36in. diameters x 3 - 4.5ft long. Plt.Wt. 3200-4500 lbs. Apx. 70-80 sf/ton.	/ton
419-1	<b>Blue Sandstone Flagstone (1 inch)</b> Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 110-120 sf/ton.	/ton
419	<b>Blue Sandstone Flagstone (2 inch)</b> Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 2 - 2.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 80 sf/ton.	/ton
419-SU1	<b>Blue Sandstone Standup Flagstone (1 inch)</b> Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1in. -1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. With a Plt.Wt. of 3200- 4500 lbs. Apx. 110-120 sf/ton.	/ton
419-SU2	<b>Blue Sandstone Standup Flagstone (2 inch)</b> Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in. - 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. With a Plt.Wt. of 3200-4500 lbs. 80 sf/ton.	/ton
422-1	<b>Blue/Brown Flagstone (1 inch)</b> Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 110- 120 sf/ton.	/ton
422	<b>Blue/Brown Flagstone (2 inch)</b> Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 2in. - 2.5in. x 12in. - 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 80 sf/ton.	/ton
422-SU1	<b>Blue/Brown Standup Flagstone (1 inch)</b> Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1in. -1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
422-SU2	<b>Blue/Brown Standup Flagstone (2 inch)</b> Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in. - 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.	/ton
401	<b>Fond Du Lac Flagstone</b> Buff and gray limestone with a smooth bed. 1.5in. - 2in. x large sheets averaging 20in. - 36in. diameters. Plt.Wt. 3500- 4200 lbs. Apx. 90 sf/ton.	/ton
409	<b>Golden Quartz Flagstone</b> Gold with silver & gray colors mixed with a sparkle of mica & quartz specs on surface. Very hard & consistent thickness of 3/4in. - 1in. & 12in. - 24in. diameters. Apx.Pl.Wt. 4000 lbs. Apx. 100-130 sf/ton.	/ton
435	<b>Grand Canyon Flagstone (Limited Availability)</b> Rose color with plum stripes & swirls. Irregular shapes averaging 1.5 -2in. & 12 - 28in. diameters. Plt.Wt. 2800-3800 lbs. Apx. 90 sf/ton.	/ton
450	<b>Hickory Gray Flagstone</b> Medium to dark gray irregular flagstone. 2in. - 2.5in. and pallet size diameters averaging 24in. - 40in. Plt.Wt. 3000-3500 lbs. Apx. 80 sf/ton.	/ton
403	<b>Misty Rose Flagstone</b> Light buff with light pink tones & smooth beds. Averages 1.5in. - 2in. thick. It comes packaged as premium sized stand- up sheets approx 24in. - 48in. diameters. Plt.Wt. 3500- 4000 lbs. Apx. 120-130 sf/ton.	/ton
402	<b>Oakfield Flagstone</b> Light buff limestone, highly textured bed with quartz pockets. Apx. 2in. - 3in. thick, large sheets averaging 24in. - 40in. diameters. Plt.Wt. 3200- 3700 lbs. Apx. 90 sf/ton.	/ton
404	<b>Pennsylvania Blue Sawn Pattern Flag - Full Color Range</b> Full color. Sawn 4 sides in sizes of 12in. x 12in. up to 2ft. x 3ft. pieces in 6in. nominal increments. Apx. 1in. thick & Apx.Pl.Wt. 3200 lbs. Apx. 190-285 sf per pallet. (s.f. based on 1/2in. joints)	/sf
407	<b>Pennsylvania Blue Standup Irregular Flag - Full Color (1 inch)</b> Full color. Irregular flagstone 1in. - 1.5in. thick. Large stand up sheets that are Apx. 24in. - 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 120 sf/ton.	/ton
407-2	<b>Pennsylvania Blue Standup Irregular Flag - Full Color (2 inch)</b> Full color. Irregular flagging 1.5 - 2.5in. thick. Large stand up sheets. Apx. 24 - 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 80 sf/ton.	/ton
408	<b>Rocky Mountain Rose Flagstone</b> Large irregular pieces of light rose colored sandstone with an average thickness of 2in. and Apx. 24in. - 40in. diameters. Plt.Wt. 3500-4500 lbs. Apx. 80 sf/ton.	/ton
406	<b>Sandstone Flagstone</b> Multi colors of brown, rust, orange, buff & white in color. Apx. 1.5in. - 2in. thick large irregular sheets averaging 24in. - 48in. diameters. Apx.Pl.Wt. 3000 lbs. Apx. 90 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
410	<b>Silver Gray Quartz Flagstone</b> Light gray, silver colored quartz flagstone. Consistent thickness averaging 3/4in. - 1in. & apx. 12in. - 24in. in diameter. Apx.Plt.Wt. 4000 lbs. Apx. 100-130 sf/ton. *Due to availability, may be 1.5in. - 2in. thick*	/ton
411-1	<b>Summit Gray Flagstone (1 inch)</b> Sandstone, light gray with some brown. Very smooth consistent beds. 1in. - 1.75in. x 12in. - 30in. diameter. Plt.Wt. 3800- 4500 lbs. 110-120 sf/ton.	/ton
411-2	<b>Summit Gray Flagstone (2 inch)</b> Sandstone, light gray with some brown. Very smooth consistent beds. 2in. - 2.5in. x 12in. - 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton.	/ton
411-SU2	<b>Summit Gray Standup Flagstone (1 3/4 - 2 3/4 inch)</b> Sandstone, light gray with some brown. Very smooth consistent beds. 1 3/4 - 2 3/4 in. x 2ft. x 2ft. up to 3ft. x 4ft. diameters. Plt.Wt. 3800-4500 lbs. 80-110 sf/ton.	/ton
412-1	<b>Wind River Flagstone (1 inch)</b> Tan, pink, rust & dark brown in color with smooth beds. Plt.Wt. 3800-4500 lbs. Apx.110-120 sf/ton.	/ton
412-2	<b>Wind River Flagstone (2 inch)</b> Tan, pink, rust & dark brown in color with smooth beds. 2in. - 2.5in. x 12in. - 30in. diameter. Plt.Wt. 3800-4500 lbs. Apx.80 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
1403-CB	<b>Coping - Castle Buff (12x24x2) 48 EA/Plt</b> Light to dark buff, browns and tans. Sandblasted with bullnose edge. 2ft. long x 12in. wide x 2in. thick. 48 pcs./plt.	/ea
1403-CG	<b>Coping - Castle Grey (12x24x2) 48 EA/Plt</b> Light to dark greys. Sandblasted with bullnose edge. 2ft. long x 12in. wide x 2in. thick. 48 pcs./plt.	/ea
1401-CB	<b>Wall Cap - Castle Buff (14x24x2) 40 EA/Plt</b> Light to dark buff, browns and tans. Chiseled edge along front & back. 2ft. long x 14in. wide x 2in. thick. 40 pcs./plt.	/ea
1401-CG	<b>Wall Cap - Castle Grey (14x24x2) 40 EA/Plt</b> Light to dark greys. Chiseled edge along front & back. 2ft. long x 14in. wide x 2in. thick. 40 pcs./plt.	/ea
1402-B	<b>Pattern Flag - Castle Blue Thermal Sawn (Pattern #2) 200 SF</b> Blue sandstone, 1in. thick, thermal top, sawn edges & bottom. 82 pc./plt., 200 sf./plt., 2600 lbs./plt.	/sf
1402-CB	<b>Pattern Flag - Castle Buff (Jumbo French Pattern) 216 SF</b> Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark buff, browns and tans. Natural top, hand split edges. 216 sf./plt., 2484 lbs./plt.	/sf
1402-CG	<b>Pattern Flag - Castle Grey (Jumbo French Pattern) 216 SF</b> Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark greys. Natural top, hand split edges. 216 sf./plt., 2484 lbs./plt.	/sf
	<b>Travertine Tumbled Bullnose Coping</b> Bullnose Coping 12in. x 24in. x 2in. thick. 40 pcs. per plt., 2080 lbs. per plt.	
473-CC	<b>Travertine Tumbled Bullnose Coping 40 EA - Country Classic</b>	
473-I	<b>Travertine Tumbled Bullnose Coping 40 EA - Ivory</b>	Quote Only
473-N	<b>Travertine Tumbled Bullnose Coping 40 EA - Noce</b>	
	<b>Travertine Tumbled French Pattern</b> Natural stone, honed and unfilled. Resistant to moisture, cold, heat and erosion. Travertine pavers do not retain heat and its surface remains cool to the touch. They are slip- resistant making them a perfect addition around a pool area. These pavers are extremely durable and resistant to cracks. Excellent for pools, decks, patios, entry ways, docks, borders, and walkways. Residential and commercial with heavy and light traffic. 176 sf./plt., 2816 lbs./plt.	
470-CC	<b>Travertine Tumbled French Pattern 176 SF - Country Classic</b>	
470-I	<b>Travertine Tumbled French Pattern 176 SF - Ivory</b>	Quote Only
470-N	<b>Travertine Tumbled French Pattern 176 SF - Noce</b>	

## Semco Stone 2023

Item#		Price
505	<b>Bucks Creek Cobbles (4 - 8 inch)</b> Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.	/ton
505-SM	<b>Bucks Creek Cobbles - Small (3 - 5 inch)</b> Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.	/ton
502	<b>Canadian Colored Cobbles (3 -9 inch)</b> Multi-colored pinks, whites & grays. Round granite cobbles in 3in. - 9in. Unsorted size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.	/ton
515	<b>Grand Canyon Cobbles (Limited Availability)</b> Unique lavender colored cobbles with smooth surface & tan swirls. 6in. - 8in. Plt.Wt. 3000-3500 lbs. Apx. 30 sf/ton.	/ton
501	<b>Kewanee Creek Flats</b> Hand selected naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy, etc. Average size is 6in. - 12in. Plt.Wt. 2500-3500 lbs. Apx. 60 sf/ton.	/ton
522-C1	<b>Kewanee Skippers (1.5 - 3 inch)</b> Hand selected, sorted by size, naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy etc. 1.5in. - 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.	/ton
522-C4	<b>Kewanee Skippers (4 - 7 inch)</b> Hand selected, sorted by size, naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy etc. 4in. - 7in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.	/ton
504-C1	<b>Mexican Beach Pebbles (1 - 2 inch)</b> Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
504-C2	<b>Mexican Beach Pebbles (2 - 3 inch)</b> Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
504-C3	<b>Mexican Beach Pebbles (3 - 5 inch)</b> Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
504-C1M	<b>Mexican Beach Pebbles Multit Color (1in - 2in)</b> Hand selected, smooth, flat & rounded, Multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
504-C2M	<b>Mexican Beach Pebbles Multi Color (2in - 3in)</b> Hand selected, smooth, flat & rounded, multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
504-C3M	<b>Mexican Beach Pebbles Multi Color (3in - 5in)</b> Hand selected, smooth, flat & rounded, multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	/ton
509-3	<b>Mexican Rainbow Cobbles (3 - 6 inch)</b> Rounded, multi-colored with grays, browns & burgundy. Some elongated pieces may be up to 18in. with diameters up to 10in. Plt.Wt. 2800-3200 lbs. Apx. 25-30 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
520	<b>Sedona Cobbles (2.5 - 4 inch)</b> Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 35 - 40 sf/ton.	/ton
520-C6	<b>Sedona Cobbles (4 - 12 inch)</b> Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 30-35 sf/ton.	/ton
517-L	<b>Tennessee River Flats - Large (10 - 18 inch)</b> Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 20-25 sf/ton.	/ton
517-M	<b>Tennessee River Flats - Medium (6 - 10 inch)</b> Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.	/ton
517-S	<b>Tennessee River Flats - Small (4 - 6 inch)</b> Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.	/ton
525-L	<b>Tennessee River Rounds - Large (10 - 18 inch)</b> Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 20-25 sf/ton.	/ton
525-M	<b>Tennessee River Rounds - Medium (6 - 10 inch)</b> Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.	/ton
525-S	<b>Tennessee River Rounds - Small (4 - 6 inch)</b> Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.	/ton

## Semco Stone 2023

Item#		Price
660	<b>Black Ice Boulders</b> Black Obsidian. 98% volcanic glass, black in color. 12in. - 18in. diameters. Plt.Wt. 2400-2800 lbs.	/ton
608-L	<b>Glacier Boulders - Large</b>	/ton
608-M	<b>Glacier Boulders - Medium</b>	/ton
608-S	<b>Glacier Boulders - Small</b> Pinks, whites, grays, multi- colored, smooth & round. Small 12in. - 18in., Medium 18in. - 24in. Or Large 24in. - 36in. Plt.Wt. 3000-3400 lbs.	/ton
636BL-L	<b>Mossy Mountain Boulders - Large</b>	/ton
636BL-M	<b>Mossy Mountain Boulders - Medium</b>	/ton
636BL-S	<b>Mossy Mountain Boulders - Small</b> Blend of brown, tan, gray, green & some pink. Small 12in. - 18in., Medium 18in. - 30in. or Large 30+in. Plt.Wt. 2500-3000 lbs.	/ton
636-B	<b>Mossy Mountain Boulders (Unpalletized)</b> Blend of brown, tan, gray, green & some pink. 1500 lbs. & up on flat bed unloaded with forklift.	/ton
602	<b>Royal Gorge Boulders</b> Pink with white quartz & mica all mingled together. 12in. - 18in. Plt.Wt. 2400-2800 lbs.	/ton
605	<b>Sponge Boulders</b> Rust color with sponge-like holes, contains quartz crystal deposits around holes in boulders. Plt.Wt. 1300-2500 lbs.	/ton
615	<b>Trap Boulders</b> Dark blue-purple with shades of dark green & red, 8in. - 48in. Larger sizes available. Plt.Wt. 2600-3000 lbs.	/ton
612-B	<b>Weathered Granite Boulders (Unpalletized)</b> Light red or pink in color with some lichens. Irregular shapes. 1500 lbs. & up on flat bed unloaded with forklift.	/ton
604BL-L	<b>Weathered Limestone Boulders - Large</b>	/ton
604BL-M	<b>Weathered Limestone Boulders - Medium</b>	/ton
604BL-S	<b>Weathered Limestone Boulders - Small</b> Light buff to cream to dark gray in color. Small 12in. - 18in., Medium 18in. - 30in. or Large 30+in. Plt.Wt. 2200-3800 lbs.	/ton
604-B	<b>Weathered Limestone Boulders (Unpalletized)</b> Light buff to cream to dark gray in color. 1500 lbs. & up on flat bed unloaded with forklift.	/ton
609BL-L	<b>Weathered Sandstone Boulders - Large</b>	/ton
609BL-M	<b>Weathered Sandstone Boulders - Medium</b>	/ton
609BL-S	<b>Weathered Sandstone Boulders - Small</b> Mossy, light gray to brown with lichens on boulders. Very weathered & natural looking. Small 12in. - 24in., Medium 18in. - 30in. or Large 30+in. Plt.Wt. 3200-4000 lbs.	/ton

**1 1/4" HOLE CAN BE DRILLED IN SELECT BOULDERS UP TO 48" THICK**

Up to 24" thick, add \$75.00

Add \$2.00 per each additional inch over 24" up to 48"

## Semco Stone 2023

Item#		Price
898	<b>Benson Natural Beam</b> Brown to rust in color. Natural top & bottom. 5in. - 8in. thick x 18in. - 24in. deep x random lengths 4 - 8 ft. long.	/ton
639MCP	<b>Castlewood 14 inch Premium Machine Split</b> Buff and Gray in color, uniform heights of 13in. - 15in. with depths of 18in. - 20in. +/- and 4 - 5 ft. in length. Plt.Wt. 3500 - 4000 lbs.	/ton
621-18P	<b>Castlewood 14 inch Natural Buff 18 - 24 Wide - Palletized</b>	/ton
621-18	<b>Castlewood 14 inch Natural Buff 18 - 24 Wide - Bulk</b> <i>non stock</i>	/ton
621-24	<b>Castlewood 14 inch Natural Buff 24 - 30 Wide - Bulk</b> <i>non stock</i>	/ton
621-31	<b>Castlewood 14 inch Natural Buff 31 - 40 Wide - Bulk</b> <i>non stock</i> Buff and Gray in color, uniform heights of 13in. - 15in. with depths of 18in. - 24in., 24in. - 30in., 31in. - 40in. +/- and 4 - 5 ft. in length.	/ton
639-6	<b>Castlewood 6 inch Ledge</b> Buff and Gray in color, uniform heights of 4in. - 6in., 24in - 30in. deep and 4 - 5 ft. in length. Plt.Wt. 3500 - 4000 lbs.	/ton
636LL-L	<b>Mossy Mountain Ledge - Large</b>	/ton
636LL-M	<b>Mossy Mountain Ledge - Medium</b> Blend of brown, tan, gray, green & some pink. Apx. Plt. Wt. 2500-3000 lbs.	/ton
895	<b>Silverdale Natural Seat 3 ft</b> Light buff to gold in color. 13in. deep x 18in. tall x 36in. long. Sawn top and bottom, machine cut all edges.	/ea
896	<b>Silverdale Sawn Beams</b> Light buff to gold in color. Sawn top & bottom. 18in. thick x 18in. - 24in. deep x Random lengths 3 - 7 ft. Apx 1765 lbs. each	/ton
899	<b>Stetson Sawn Beams</b> Light gray to charcoal with some buff. Sawn top & bottom. 14 thick x 18in. - 24in. deep x random lengths 3 - 7 ft.	/ton
604LL-L	<b>Weathered Limestone Ledgerrock - Large</b>	/ton
604LL-M	<b>Weathered Limestone Ledgerrock - Medium</b>	/ton
604LL-S	<b>Weathered Limestone Ledgerrock - Small</b> Light buff to cream to dark gray in color. Plt.Wt. 3200-3800 lbs.	/ton
609LL-L	<b>Weathered Sandstone Ledge - Large</b>	/ton
609LL-M	<b>Weathered Sandstone Ledge - Medium</b> Mossy, light gray to brown with lichens. Plt.Wt. 3200-3800 lbs.	/ton
609-WF	<b>Weathered Sandstone Waterfall Ledge</b> Mossy, light gray to brown with lichens. Very weathered & natural looking. 1in. - 5in. thick x 24in. - 48in. diameter with 1 to 2 pieces per layer. Plt.Wt. 3000-3800 lbs.	/ton



## Semco Stone 2023

Item#		Price
711	<b>Anchor Edgers 192 EA</b> 4in x 4in x 12in., 1 In.ft. per piece 192 ea per plt. Stock Colors: Cedar Creek Red-RB, Desert Blend-D, Granite Blend-GB, Tan-T. Special Order Colors (Please allow 1-2 weeks for delivery): Brown-BRN, Charcoal-C, Gray-G, Red-R. Apx. Plt. Wt. 2730 lbs.	/ea
747	<b>Black Hills Rustic Tumbled Edging</b> Multi-colored tumbled sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 110 lf/ton.	/ton
747-U	<b>Black Hills Rustic Untumbled Edging</b> Multi-colored sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500-4000 lbs. Apx. 110 lf/ton.	/ton
750	<b>Blue Sandstone Tumbled Edging</b> Medium to dark blue-gray in color. Tumbled 4 x 4 x random lengths. Plt Wt. 3500-4000. Apx. 100-110 lf/ton.	/ton
702	<b>Boone County Tumbled Edging</b> Medium to dark blue-gray sandstone, 5in. x 5in. x random lengths, tumbled to round the edges. Plt.Wt. 3500-4000 lbs. Apx. 100 lf/ton.	/ton
720	<b>Fond Du Lac Tumbled Edging</b> Machine cut limestone, gray to buff in color, 4in. x 4 - 5in. x random lengths. Plt.Wt. 2800-3000 lbs. Cover apx. 120 lf/ton.	/ton
701	<b>Fond Du Lac Untumbled Edging</b> Machine cut limestone, gray to buff in color, 4in. x 4 - 5in. x random lengths. Plt.Wt. 3500-4300 lbs. Covers apx. 120 lf/ton.	/ton
716	<b>Maple Hill Tumbled Edging</b> Machine split & tumbled sandstone providing a rustic look with light tan & buff colors. Sizes apx. 5in. x 5in. x random length Plt.Wt. 2800-3500 lbs. Apx. 120 lf/ton.	/ton
746	<b>Rocky Mountain Rose Tumbled Edging</b> Rose colored sandstone, machine cut & tumbled 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 140 lf/ton.	/ton
706	<b>Silverdale Tumbled Edging</b> Light buff to gold in color. Sawn top & bottom, machine cut all edges. 4in. x 4in. x random lengths.	/ton
706-U	<b>Silverdale Untumbled Edging</b> Light buff to gold in color. Sawn top & bottom, machine cut all edges. 4in. x 4in. x random lengths.	/ton
719	<b>Stoneybrook Tumbled Edging</b> Gray limestone with a touch of blue, mauve & lavender. 4in. x 4in. x random lengths. Plt.Wt. 2800-3200 lbs. Cover apx. 120 lf/ton.	/ton
740	<b>Summit Gray Tumbled Edging (Limited Availability)</b> Light gray in color with some brown. Machine split & tumbled sandstone. Apx. 3.5in. thick x 4.5in. x 6in. - 11in. Plt.Wt. 2800- 3300 lbs. Apx. 130 lf/ton.	/ton

## Semco Stone 2023

Item#		Price
745	<b>Timber Creek Tumbled Edging</b>	/ton
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. x 4in. x random lengths. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
745-U	<b>Timber Creek Untumbled Edging</b>	/ton
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. x 4in. x random lengths. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
703	<b>Wind River Tumbled Edging (Limited Availability)</b>	/ton
	Machine split & tumbled sandstone provides an antiqued rustic look with tan, rust & black colors. 3.5in. thick x 4.5in. x 6in. - 11in. Apx.Plt.Wt. 3000 lbs. Apx. 130 lf/ton.	

## Semco Stone 2023

Item#		Price
814-36	<b>Black Hills Rustic Machine Cut Steps 3 ft (8-10 Steps/plt)</b> Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in. - 8in. x 16in. - 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	/ton
814-48	<b>Black Hills Rustic Machine Cut Steps 4 ft (8-10 Steps/plt)</b> Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in. - 8in. x 16in. - 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.	/ton
815	<b>Black Hills Rustic Natural Slab Steps</b> Multi-colored, irregular- shaped sandstone. Apx. 5in. - 7in. x 24in. - 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200 lbs.	/ton
815-BS	<b>Blue Sandstone Natural Slab Steps</b> Gray to dark blue, irregular- shaped sandstone. Apx. 5in. - 7in. x 24in. - 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200 lbs.	/ton
828-36	<b>Blue/Brown Sandstone Machine Cut Steps 3 ft (8-10 Steps/plt)</b> Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in. - 8in. x 16in. - 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	/ton
828-48	<b>Blue/Brown Sandstone Machine Cut Steps 4 ft (8-10 Steps/plt)</b> Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in. - 8in. x 16in. - 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.	/ton
818-4	<b>Dove Gray Steps 4 ft (8 Steps/plt)</b> Light Gray in color with some buff variation. 8 steps per pallet. Sawn top & bottom, snapped all edges. Apx. 6in. x 15in. x 4ft. Apx.Pl.Wt. 3200 lbs.	/ea
809-3	<b>Rock Valley Limestone Cut Steps 3 ft (Limited Availability)</b> Light gray limestone. Very hard with highly textured beds. Apx. 5in. - 7in. x 16in. - 18in. x 3ft long. Plt.Wt. 3300-3600 lbs.	/ton
809-4	<b>Rock Valley Limestone Cut Steps 4 ft (Limited Availability)</b> Light gray limestone. Very hard with highly textured beds. Apx. 5in. - 7in. x 16in. - 18in. x 4ft long. Plt.Wt. 3300-3600 lbs.	/ton
827-P	<b>Rock Valley Premium Natural Slab Steps</b> Light gray limestone natural slab steps with highly textured beds. 5in. - 8in. thick with depths ranging from 24-40. Lengths are random between 40-50. Plt.Wt. 3500-4000 lbs.	/ton
805-36	<b>Scottsdale Snapped Steps 3 ft (Limited Availability)</b> Buff, tan & white colored sandstone, natural beds, split to apx. 5in. - 6in. x 16in. x 3ft long. Plt.Wt. 3200-3600 lbs.	/ton
805-48	<b>Scottsdale Snapped Steps 4 ft (Limited Availability)</b> Buff, tan & white colored sandstone, natural beds, split to apx. 5in. - 6in. x 16in. x 4ft long. Plt.Wt. 3200-3600 lbs.	/ton
808-36	<b>Silverdale Sawn Steps 3 ft</b> Light buff to gold in color. 6in. x 18in. x 3ft long. Sawn top & bottom, machine cut all edges. Plt.Wt. 3000-3300 lbs.	/ea
808-48	<b>Silverdale Sawn Steps 4 ft</b> Light buff to gold in color. 6in. x 18in. x 4ft long. Sawn top & bottom, machine cut all edges. Plt.Wt. 3400- 3600 lbs.	/ea

## Semco Stone 2023

Item#		Price
840-MC36	<b>Summit Gray Machine Cut Steps 3 ft (8-10 Steps/plt)</b> Sandstone, light gray with some brown. 8 to 10 steps per pallet. 5in. - 7in. x 18in. x 3ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.	/ea
840-MC48	<b>Summit Gray Machine Cut Steps 4 ft (8-10 Steps/plt)</b> Sandstone, light gray with some brown. 8 to 10 steps per pallet. 5in. - 7in. x 18in. x 4ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.	/ea
840-MC60	<b>Summit Gray Machine Cut Steps 5 ft (6 Steps/plt)</b> Sandstone, light gray with some brown. 6 steps per pallet. 5in. - 7in. x 18in. x 5 ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3900- 4500 lbs.	/ea
850-36	<b>Timber Creek Sawn Steps 3 ft (8 Steps/plt)</b> Limestone, light gray to buff with light buff to white mottling, some quartz crystals. Sawn top and bottom, split sides. 8 steps per pallet. 6in. x 16in. x 3ft long. Plt.Wt. 2500-3000 lbs.	/ea
850-48	<b>Timber Creek Sawn Steps 4 ft (8 Steps/plt)</b> Limestone, light gray to buff with light buff to white mottling, some quartz crystals. Sawn top and bottom, split sides. 8 steps per pallet. 6in. x 16in. x 4ft long. Plt.Wt. 3600-4000 lbs.	/ea
841-MC36	<b>Wind River Machine Cut Steps 3 ft (10 Steps/plt)</b> Tan, pink, rust & dark brown in color. 5in. - 7in. x 18in. x 3ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.	/ea
841-MC48	<b>Wind River Machine Cut Steps 4 ft (8 Steps/plt)</b> Tan, pink, rust & dark brown in color. 5in. - 7in. x 18in. x 4ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.	/ea
841-MC60	<b>Wind River Machine Cut Steps 5 ft (6 Steps/plt)</b> Tan, pink, rust & dark brown in color. 5in. - 7in. x 18in. x 5ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3900-4500 lbs.	/ea
802	<b>Wisconsin Natural Slab Steps</b> Light gray limestone irregular natural steps. Apx. 6in. - 8in. x 24in. - 32in. x 2.5ft - 5ft long. Plt.Wt. 3000-3500 lbs.	/ton

## Semco Stone 2023

Item#		Price
S100TREAD12x36	<b>Blue River Tread (12x36x2.25) 21 EA</b>	/ea
S100TREAD12x48	<b>Blue River Tread (12x48x2.25) 18 EA</b>	/ea
S100TREAD14x36	<b>Blue River Tread (14x36x2.25) 21 EA</b>	/ea
S100TREAD14x48	<b>Blue River Tread (14x48x2.25) 18 EA</b>	/ea
	Dense blue-gray limestone. Sawn top/bottom, machine cut sides. Can be purchased by the piece. 12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	
1400-CB	<b>Castle Buff Tread (12x72) 15 EA</b>	/ea
	Light to dark buff, browns and tans. 2in. x 12in. x 6ft long. Chiseled front edge. Can be purchased by the piece. 15 pcs./plt.	
1400-CG	<b>Castle Grey Tread (12x72) 15 EA</b>	/ea
	Light to dark greys. 2in. x 12in. x 6ft long. Chiseled front edge. Can be purchased by the piece. 15 pcs./plt.	
S149TREAD12x36	<b>Dove Gray Tread (12x36x2.25) 21 EA</b>	/ea
S149TREAD12x48	<b>Dove Gray Tread (12x48x2.25) 18 EA</b>	/ea
S149TREAD14x36	<b>Dove Gray Tread (14x36x2.25) 21 EA</b>	/ea
S149TREAD14x48	<b>Dove Gray Tread (14x48x2.25) 18 EA</b>	/ea
	Light gray in color. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. 12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	
S191TREAD12x36	<b>Mountain Ridge Tread (12x36x2.25) 21 EA</b>	/ea
S191TREAD12x48	<b>Mountain Ridge Tread (12x48x2.25) 18 EA</b>	/ea
S191TREAD14x36	<b>Mountain Ridge Tread (14x36x2.25) 21 EA</b>	/ea
S191TREAD14x48	<b>Mountain Ridge Tread (14x48x2.25) 18 EA</b>	/ea
	Gray, blue and buff tones. Sawn top/bottom and machine cut all sides. Can be purchased by the piece. 12x36/1953lbs., 14x36/2278lbs., 12x48/2232lbs., 14x48/2610lbs. per plt.	
S139TREAD12x36	<b>Weston Cream Tread (12x36x2.25) 21 EA</b>	/ea
S139TREAD12x48	<b>Weston Cream Tread (12x48x2.25) 18 EA</b>	/ea
S139TREAD14x36	<b>Weston Cream Tread (14x36x2.25) 21 EA</b>	/ea
S139TREAD14x48	<b>Weston Cream Tread (14x48x2.25) 18 EA</b>	/ea
	Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. 12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	

## Semco Stone 2023

Item#		Price
<b>S-100SLAB2.25F</b>	<b>Blue River Slab - Finished</b>	/sf
	Dense blue-gray limestone. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs & more. Sizes: 2.25in. (6 cm) thickness x up to 30in. widths x 6ft. lengths. Finishes: Polished, Honed, Antique Brush, Bushhammer, Thermal. Edge Treatments: Machine Cut, Rock Face, Full Bullnose, Half Bullnose, Bevel, Ogee	
<b>S-100SLAB2.25</b>	<b>Blue River Slab - Unfinished</b>	/sf
	Dense blue-gray limestone. Sizes: 2.25in. (6 cm) thickness x up to 30in. widths x 6ft. lengths. Finishes: Sawn 2 sides	
<b>S-147SLAB1</b>	<b>Brentwood Slab 1.25in. (serialized) - Unfinished</b>	/sf
	Quartzite sandstone with the elegant look of detailed woodgrain. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs and more. Raw Slab	
<b>S-147SLAB2</b>	<b>Brentwood Slab 2in. (serialized) - Unfinished</b>	/sf
	Quartzite sandstone with the elegant look of detailed woodgrain. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs and more. Raw Slab	
<b>S-148SLAB2</b>	<b>Sooner Wheat Slab 2in.</b>	/sf
	Light buff in color with varying slabs having some darker veining/movement. Size Range: Apx. 4ft. x 8ft. x 2in. Thick	

## Semco Stone 2023

Item#		Price
5072-MM	<b>Bubbling Boulder Kit - Mossy Mountain w/ Iowa Rainbow Gravel</b>	
5072-WG	<b>Bubbling Boulder Kit - Weathered Granite Boulder w/ Duck Lake Pebble Gravel</b>	/ea
5072-WL	<b>Bubbling Boulder Kit - Weathered Limestone Boulder w/ Alabama Sunset Gravel</b>	
	This easy to install natural stone water feature brings both beauty and a peaceful atmosphere to any patio, garden or outdoor living space. The kit includes everything you need; one 46in. fountain basin, one predrilled boulder, (three different stones to choose from), one 750 gph pump with 3/4in. inside diameter flex pipe, 8 - 1/2 cu.ft. bags of decorative gravel.	
FB4600	<b>Basin - 46 inch Fountain Basin</b>	/ea
	1,200 lb. weight capacity	
4000-AS	<b>Firepit - Autumn Sky</b>	
4000-MB	<b>Firepit - Mountain Bluff</b>	/ea
	Enjoy the warmth of an outdoor fire with the modern style of this firepit. The beautiful natural stone texture complements any landscape and the dimensional shape means fast installation and no waste. Outside dim: 41-43in. Inside dim: 24-26in. Overall Height: 13in. Blocks per row: 10/ea. <i>An insert is recommended to keep heat away from the stone.</i> 1250 lbs.	
8098-3	<b>Firepit Steel Ring</b>	/ea
	Recommended for use in #4000-AS Autumn Sky & #4000-MB Mountain Buff Firepits. 50 lbs.	
SAFG-2710	<b>Firepit - Basalt Square</b>	
SAFG-2709	<b>Firepit - Sunset Buff Square</b>	/ea
	<b>While Supplies Last</b>	
	Natural Stone. Basalt/Charcoal in color. Sunset Buff/Buff in color. Outside Dimensions: 44in. wide x 44in. long. Inside Dimensions: 28in. wide x 28in. long. Overall Height: 18in. An insert is recommended to keep the heat away from the stone. 1990 lbs.	
SA-SRP	<b>Firepit - Short Round</b>	/ea
	42in. outside x 36in. inside diameter x 14in. tall 480 lbs.	
SAFL1717-6	<b>Chimney Extensions - Large Flue</b>	/ea
	6in. tall. Fits 36in. - 48in. Contractor Series. 100 lbs.	
SA-S1001	<b>Firebrick Splits Buff - 9in. x 4.5in. x 1.5 Thick</b>	/ea
	Splits, 9in. x 4.5in. x 1.25in. 4 lbs. 850 ea/pallet (plt qty as of 6/2019 888/ea)	
SA-24CN-STR	<b>Fireplace - Contractor Series 24 inch w/ Straight Lintel</b>	/ea
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 70 Firebrick required and 3 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 62sf. of surface, including 26lf. corners. 1540 lbs.	
SA-36CN	<b>Fireplace - Contractor Series 36 inch w/ Arched Lintel</b>	/ea
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 85 Firebrick required and 4 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 85sf. of surface, including 26lf. corners. 1760 lbs.	

## Semco Stone 2023

Item#		Price
SA-48CN	<p><b>Fireplace - Contractor Series 48 inch w/ Arched Lintel</b></p> <p>Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 105 Firebrick required and 5 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 109sf. of surface, including 26lf. corners. 2120 lbs.</p>	/ea
SA36	<p><b>Fireplace - Standard 36 inch w/Arched Lintel</b></p> <p>Standard kit includes firebox, 85 Firebrick, four 6in. chimney sections, base components, and instructions. Mortar sold separately. 4 buckets Mortar needed to assemble kit and install firebrick. 100sf. of surface, including 32lf. of corners. 2800 lbs.</p>	/ea
SA48	<p><b>Fireplace - Standard 48 inch w/Arched Lintel</b></p> <p>Standard kit includes firebox, 105 firebrick to line firebox, four 6in. chimney sections, base components, and instructions. Mortar sold separately. 5 buckets of Mortar needed to assemble kit and install firebrick. 125sf. of surface, including 32 lf. of corners. 3100 lbs.</p>	/ea
SA3INL	<p><b>Island - 3 foot Inline Section w/ Top</b></p> <p>Semco Outdoor Kitchen Kits are designed with a patented, modular, reinforced concrete panel and bracket system, which assembles in minutes to create an exceptionally strong and durable, ready to finish foundation for outdoor kitchens. The solid, uncut panel configuration allows complete freedom and flexibility of any appliance layout. Islands come with tops and measure 33in. deep x 36in. tall. 560 lbs.</p>	/ea
SA30RDS-WT	<p><b>Island - 30 Degree Radius w/ Top</b></p> <p>33in. deep x 36in. tall. 246 lbs.</p>	/ea
SA6STR-WT	<p><b>Island - 6 foot Straight w/ Top</b></p> <p>33in. deep x 36in. tall. 1120 lbs.</p>	/ea
SA6STR-WOT	<p><b>Island - 6 foot Straight w/o Top</b></p> <p>33in. deep x 36in. tall. 1120 lbs.</p>	/ea
SA9L-WT	<p><b>Island - 9 foot L w/ Top</b></p> <p>33in. deep x 36in. tall. 1860 lbs.</p>	/ea
SA9STR-WT	<p><b>Island - 9 foot Straight w/ Top</b></p> <p>33in. deep x 36in. tall. 1500 lbs.</p>	/ea
SA-BSWT	<p><b>Island - Backsplash 3 foot w/ Bar Top</b></p> <p>8in. tall with 6in. overhang. 75 lbs.</p>	/ea
SA-TC-3	<p><b>Island - Column Kit</b></p> <p>36in. tall x 14in. wide. 176 lbs.</p>	/ea
SA-RDS-END-WT	<p><b>Island - Radius End Cap w/ Top</b></p> <p>33in. wide x 16.5in. deep x 36in. tall. 112 lbs.</p>	/ea



## Semco Stone 2023

Item#		Price
SA-APO48	<b>Pizza Oven - Amerigo</b> Features an arched cooking chamber & over 1500sq.in. of cooking surface. Cooking surface measures 36in. deep x 42in. wide. 2 buckets of mortar needed to assemble kit & install firebrick. Kit includes firebrick, 9in. chimney flue & metal oven door. 35sf. of surface, including 14lf. of corners. 1650 lbs.	/ea
SA-MPO36	<b>Pizza Oven - Mezzo</b> Features an arched cooking chamber with over 800sq.in. of cooking surface. Cooking surface measures 27in. deep x 30in. wide. 1 bucket of mortar needed to assemble kit and install firebrick. Kit includes firebrick, 9in. chimney flue and metal oven door. 25sf. of surface, including 14lf. of corners. 1150 lbs.	/ea
SA-APRM	<b>Ready-Mix Mortar</b> High Temperature, Multi Purpose. 5 gal. bucket	/ea
SA-PCA-48	<b>Storage Cabinet - Amerigo</b> Pizza Oven cabinets create a solid base with plenty of storage. 48in. arched opening. 44in. tall with cooking surface height of apx. 50in. 1120 lbs.	/ea
SA-MCA-36	<b>Storage Cabinet - Mezzo</b> 36in. arched opening. 44in. tall with cooking surface height of apx. 50in. 670 lbs.	/ea
SA-WCA	<b>Wood Storage Cabinet w/ Arched Opening</b> 36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.	/ea
SA-WCS	<b>Wood Storage Cabinet w/ Square Opening</b> 36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.	/ea

## Yard Bench

S-100YBEN3	<b>Yard Bench - Blue River 3 foot</b> Blue River Bench 3ft. long x 18in. deep x 18in. tall. Thermal finish on bench top and sides of the legs. 500 lbs.	/ea
S-100YBEN4	<b>Yard Bench - Blue River 4 foot</b> Blue River Bench 4ft. long x 18in. deep x 18in. tall. Thermal finish on bench top and sides of the legs. 585 lbs.	/ea
S-147YBEN3.5F	<b>Yard Bench - Brentwood 3.5 foot (Polished)</b> Brentwood Benches are the perfect accent to your outdoor living space. Brentwood is a Quartzite Sandstone with the elegant look of detailed woodgrain, which becomes even more stunning when polished. Polished top and inside/outside legs. 40-42" long x 16" deep x 18.25" tall, 370 lbs.	/ea
S-147YBEN3.5	<b>Yard Bench - Brentwood 3.5 foot (Unpolished) Sawn top</b> Sawn top. Apx. 370 lbs. per bench or 6 each per plt 2,220 lbs.	/ea

## Semco Stone 2023

Item#		Price
1015	<b>1in. Clean - Bagged</b> 1/2 cu.ft. bag, Crushed aggregate. 60 bags/plt	/bag
1014	<b>3/8in. Minus - Bagged</b> 1/2 cu.ft. bag, Size: fine material up to 3/8. Crushed aggregate. 60 bags/plt	/bag
1014-B	<b>3/8in. Minus - Bulk</b>	/ton
1010	<b>Alabama Sunset - Bagged</b> 1/2 cu.ft. bag, Size: 3/4 Color: tan, brown, white, burgundy. Naturally rounded pebbles. 60 bags/plt	/bag
1010-B	<b>Alabama Sunset - Bulk</b>	/ton
1034-B	<b>Arizona Red - Bulk</b> Size: 1 - 1.5in. Color: light red to pink	/ton
1018	<b>Aspen Blend - Bagged</b> Size: 1/4 - 1in. Color: soft grays, white & tan. Naturally rounded pebbles. 60 bags/plt	/bag
1018-B	<b>Aspen Blend - Bulk</b>	/ton
1075	<b>Black Granite - Bagged</b> Size: 3/4 - 1in. Color: black granite. 60 bags/plt	/bag
1075-B	<b>Black Granite - Bulk</b>	/ton
1008	<b>Chicago Buff - Bagged</b> 1/2 cu.ft. bag, Size: 1in. Color: shades of beige & gray, smooth rounded pebble. 60 bags/plt	/bag
1008-B	<b>Chicago Buff - Bulk</b>	/ton
1024	<b>Duck Lake Pebbles - Bagged</b> 1/2 cu.ft. bag, Size: 1/2 - 3/4 Color: Very colorful. Green, buff, blue & burgundy. 60 bags/plt	/bag
1024-B	<b>Duck Lake Pebbles - Bulk</b>	/ton
1042-B	<b>Duck Lake Large Pebbles - Bulk</b> 3/4 - 1.5in.	/ton
1011	<b>Iowa Rainbow - Bagged</b> 1/2 cu.ft. bag, Size: 1 1/2 Color: gold, burgundy, blue & white. 60 bags/plt	/bag
1011-B	<b>Iowa Rainbow - Bulk</b>	/ton
1012	<b>Meramec B - Bagged</b> 1/2 cu.ft. bag, Size: 1 - 1 1/2 Color: brown & tan river rock. 60 bags/plt	/bag
1012-B	<b>Meramec B - Bulk</b>	/ton
1013	<b>Meramec C - Bagged</b> 1/2 cu.ft. bag, Size: 3/4 - 1 Color: brown & tan river rock. 60 bags/plt	/bag
1013-B	<b>Meramec C - Bulk</b>	/ton

## Semco Stone 2023

Item#		Price
1003	<b>Red Lava - Bagged</b> 1 cu.ft. bag, Size: 3/4 - 1 1/2 Color: red lava nuggets, lightweight & porous. 60 bags/plt	/bag
1003-B	<b>Red Lava Nuggets - Bulk</b>	/ton
1029	<b>Rio Grande - Bagged</b> 1/2 cu.ft. bag, Size: 1in. Color: medium pink to mauve. 60 bags/plt	/bag
1029-B	<b>Rio Grande - Bulk</b>	/ton
1016	<b>Sand - Bagged</b> 1/2 cu.ft. bag, Course & clean. Perfect filler sand. 60 bags/plt	/bag
1016-B	<b>Sand - Bulk</b>	/ton
1006	<b>Semco Pea Pebbles - Bagged</b> 1/2 cu.ft. bag, Size: 3/8 Color: brown, white & tan smooth pebbles. 60 bags/plt	/bag
1006-B	<b>Semco Pea Pebbles - Bulk</b>	/ton
1001-B1.5	<b>Trap 1 1/2in. - Bulk</b> Size: 1.5in. Color: bluish- purple & light gray	/ton
1001	<b>Trap 3/4in. - Bagged</b> 1/2 cu. ft. bag, Size: 3/4in. Color: bluish purple & light gray. 60 bags/plt	/bag
1001-B3/4	<b>Trap 3/4in. - Bulk</b>	/ton
1031	<b>Trap Fines - Bagged</b> 1/2 cu.ft. bag, Size: fine material up to 1/8 - 1/4 Color: dark black very fine filler gravel. 60 bags/plt	/bag
1031-B	<b>Trap Fines - Bulk</b>	/ton
1009	<b>White Marble - Bagged</b> 1/2 cu.ft. bag, Size: 1- 1.5in. Color: brilliant white & gray crushed marble. 60 bags/plt	/bag
1009-B	<b>White Marble - Bulk</b>	/ton

**1 Ton of Gravel Spread 3" Deep will cover Approximately 100 SF**  
**1 Ton of Lava Gravel Spread 3" Deep will cover Approximately 200 SF**

## Semco Stone 2023

Item#		Price
1106	<b>Cedar Mulch 2 cf (75 Bags)</b> 100% Natural Cedar Bark. Light brown mulch.	/bag
1115	<b>Colorized Mulch - BLACK TRIPLE GROUND Premium 2 cf (60 Bags)</b> Fine in texture. Black.	/bag
1116-BL	<b>Colorized Mulch - BLACK Premium Shredded Hardwood 2 cf (60 Bags)</b> 100% shredded hardwoods. Black.	/bag
1116-BR	<b>Colorized Mulch - BROWN Premium Shredded Hardwood 2 cf (60 Bags)</b> 100% shredded hardwoods. Chocolate Brown.	/bag
1116-R	<b>Colorized Mulch - RED Premium Shredded Hardwood 2 cf (60 Bags)</b> 100% shredded hardwoods. Rich Red.	/bag
1103	<b>Cypress Mulch 2 cf (75 Bags)</b> 100% Cypress Bark. Golden- orange mulch.	/bag
1101-B	<b>Hardwood Mulch - Premium Shredded (Bulk)</b> 100% shredded hardwoods. Brown.	/yd
1102	<b>Hardwood Mulch - Premium Shredded 2 cf (60 Bags)</b> 100% shredded hardwoods. Brown.	/bag
1101	<b>Hardwood Mulch - Premium Shredded 3 cf (45 Bags)</b> 100% shredded hardwoods. Brown.	/bag
1123	<b>Cotton Blossom Compost 1 cf (60 Bags)</b> Increases beneficial organisms within the soil. Excellent all-natural soil conditioner & compost. Contains papermill fines, saw dust, cotton gin remnants. No chemicals.	/bag
1153	<b>Jolly Gardener Potting Soil 1 cf (65 Bags)</b> A complete, balanced growing media. For indoor & outdoor use. Especially good for use in window boxes, potted plants & containerized gardens. pH balanced. 40 lb. bag	/bag
1150	<b>Timberline Top Soil 1 cf (65 Bags)</b> Excellent for lawn care, spreads easily for patching bare spots, topdressing or new installations. Provides a good growing media which will need fertilization once lawn is established. 40 lb. bag	/bag

## Semco Stone 2023

Item#		Price
3546	<b>Bavarian Tumbled Paver - Large Square 87 SF</b> 6 cm 8.25in. x 8.25in., 180 pcs/plt, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color - Alleghany Slate-AS. 2300 lbs per plt. *Stock	/sf
3545	<b>Bavarian Tumbled Paver - Rectangle 87 SF</b> 6 cm 8.25in. x 5.5in., 270 pcs/plt, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color - Alleghany Slate-AS. 2300 lbs per plt. *Stock	/sf
3547	<b>Bavarian Tumbled Paver - Small Square 91 SF</b> 6 cm 5.5in. x 5.5in., 432 pcs/plt, 91 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color - Alleghany Slate-AS. 2440 lbs per plt. *Stock	/sf
3518	<b>Dutch Cobble Paver - Large Square 87 SF</b> 6cm. 8.25in. x 8.25in. 180 pcs/plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Charcoal-C, Desert Buff-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge colors: Allegheny Slate-AS, Multi-Slate-MS. 2320 lbs per plt. *Stock	/sf
3513	<b>Dutch Cobble Paver - Rectangle 87 SF</b> 6 cm. 8.25in. x 5.5in., 3.1 stones per sf, 87 sf per plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge Colors: Alleghany Slate-AS, Multi- Slate-MS. 2600 lbs per plt. *Stock	/sf
3514	<b>Dutch Cobble Paver - Small Square 91 SF</b> 6 cm. 5.5in. x 5.5in., 4.75 stones per sf, 91 sf per plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge Colors: Alleghany Slate-AS, Multi- Slate-MS. 2700 lbs per plt. *Stock	/sf
3504	<b>Mission 1 Paver 103 SF</b> Overall Size: 3.875in. x 7.75in. *Stock Colors: Buff- B, Charcoal-C. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Bld-AB, Brown-BRN, Cedar Creek Brown-CCB, Cedar Creek Red-CCR, Desert Bld- DB, Dominion Bld-DOB, Driftwood Bld-DW,Gray-GR, Granite Bld-GB, Harvest Blend-H, Indian Creek-IC, Lakeshore Bld-LS, Orchard Bld-OB, Red #1-R1, Red #2- R2, Redwood Bld-RW, Sandstone Bld-SB, St. Clair Bld-SCB. Additional Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2900 lbs per plt. *Stock	/sf
3609	<b>Roman Tumbled Paver - Jumbo Rectangle 86 SF</b> 7cm, 14.625in. x 8.75in., 96 pcs/plt, 86sf. *Stock Colors: Driftwood-DW, River Rock- RR, Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P. Additional Charge Color: Allegheny Slate-AS. 2740 lbs per plt. *Stock	/sf
3608	<b>Roman Tumbled Paver - Large Rectangle 93 SF</b> 7cm, 11.687in. x 5.812in., 192 pcs/plt, 93sf. *Stock Colors: Driftwood-DW, River Rock-RR. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P, Additional Charge Color: Allegheny Slate-AS. 2960 lbs per plt. *Stock	/sf
3607	<b>Roman Tumbled Paver - Large Square 93 SF</b> 7 cm, 11.687in. x 11.687in., 96 pcs/plt, 93sf. *Stock Colors: Driftwood-DW, River Rock-RR. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P, Additional Charge Color: Allegheny Slate-AS. 2960 lbs per plt. *Stock	/sf

**\$15.00 Deposit for Hessit Pallets, Refunded when Returned**

## Semco Stone 2023

Item#		Price
3606	<b>Roman Tumbled Paver - Small Square 93 SF</b> 7cm, 5.812in. x 5.812in., 384 pcs/plt, 93sf. *Stock Colors: Driftwood-DW, River Rock-RR, Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P Additional Charge for Allegheny Slate-AS. 2960 lbs per plt. *Stock	/sf

**\$15.00 Deposit for Hessit Pallets, Refunded when Returned**

### Anchor Retaining Wall

2005	<b>Diamond Pro Wall - Straight 36 EA</b> 8in. H x 18in. L x 12in. D, 1in. setback, each block = 1 sq.ft. Diamond Pro Color Chart: *Gray-G, Solids: Tan- T. Blends: Rosestone-RB. 2900 lbs per plt. *Stock	/ea Gray /ea Solid
2007	<b>Diamond Straight Wall 36 EA</b> 6in. H x 17 1/4in. L x 12in. D, 1 1/8in. setback, 25.92 sf per plt. Diamond Straight Color Chart: *Gray-G, Solids:* Tan-T, Blends: Fieldstone-TB, Rosestone-RB. 2475 lbs per plt. *Stock	/ea Gray /ea Solid /ea Blend
2013	<b>Hampton 3-Way 48 EA</b> 6in H x 15 5/8in L x 10in D, 31.75 sf per plt. Hampton 3- Way Color Chart: *Gray-G, Solids: Chocolate-C, *Tan-T. 2650 lbs per plt. *Stock	/ea Gray /ea Solid
2014	<b>Hampton Straight 48 EA</b> 6in H x 17 1/4in L x 10in D, 34.5 sf per plt. Hampton Straight Color Chart: *Gray- G, Solids: Chocolate-C, *Tan- T. 2900 lbs per plt. *Stock	/ea Gray /ea Solid
2011	<b>Universal Cap - Diamond, Diamond Pro, Hampton, Highland 60 EA</b> 4in. H x 15 5/8in. L x 12in. D, 78.125 ln.ft. Cap Color Chart for Diamond, Diamond Pro, Hampton, Highland: *Gray-G, Solids: Chocolate- CH, Red-R, *Tan-T, Blends: Desert Rose-DR, Fieldstone/Oakstone-TB, Pecan-PC, Pewter-GB, Rosestone-RB. 4000 lbs per plt. *Stock	/ea Gray /ea Solid /ea Blend
2012	<b>Universal Step - Diamond, Hampton, Highland 36 EA</b> 6in. H x 16in. L x 12in. D, Step Color Chart for Diamond, Hampton, Highland: *Gray-G, Solids: Chocolate-CH, Red-R, *Tan- T, Blends: Desert Rose-DR, *Fieldstone/Oakstone-TB, Hickory-H, *Pecan-PC, *Pewter-PB, *Rosestone-RB. 3350 lbs per plt. *Stock	/ea Gray /ea Solid /ea Blend
2096-A	<b>Windsor &amp; Aspen Caps 160 EA</b> 2 3/8in. H x 12in. L x 7 1/2in. D, Cap Color Chart for Windsor & Aspen: *Gray-G, Solids: *Chocolate-CH, Red- R, *Tan-T, Blends: *Fieldstone/Oakstone-O, Pecan-PC, Pewter-PB, Rosestone-RB. 2240 lbs per plt. *Stock	/ea
2008	<b>Windsor Wall 120 EA</b> 4in. H x 11 5/8in. L x 7in. D, 3/4in. setback, 31 sq.ft. per plt. Windsor Color Chart: *Gray-G, Solids: *Chocolate- CH, Red-R, *Tan-T, Blends: *Fieldstone-TB, *Rosestone- RB. 2600 lbs per plt. *Stock	/ea Gray /ea Solid

**\$23.00 Deposit for Anchor Pallets, Refunded when Returned**

## Semco Stone 2023

Item#		Price
3566-B	<b>Evolution Polymeric Sand (Beige)</b>	/ea
3566-BL	<b>Evolution Polymeric Sand (Black)</b>	/ea
3566-G	<b>Evolution Polymeric Sand (Gray)</b>	/ea
<p>Polymeric Sand from Sable Marco is a specially formulated high performance mix of graded sand and binding agent to fill paver and natural stone joints. It will remain stable and flexible and maintain its flexibility and durability in the most extreme weather conditions. Maximum width of joints 4in., minimum depth of sand 2 3/8in., minimum wetting depth 1in., 50 lb bag. 63 ea/pallet. Use the project calculator to calculate your project <a href="http://www.sablemarco.com">www.sablemarco.com</a>.</p>		
3602-S	<b>Mortar Mix - Type S (80 LB) 42 bags/plt</b>	/ea
AP 10	<b>SRW Adhesive - 10 OZ</b>	/ea
A 28	<b>SRW Adhesive - 28 OZ</b>	/ea
<p>Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze - Permanent bond - Solvent- based - Interior/external use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. (10oz) 32 ft. (28oz) 89 ft. Bead Size 3/8in. (10oz) 14 ft. (28oz) 35 ft. 12 tubes per case.</p>		
SSCG CTN QT4	<b>SRW CG Counter Guard Sealer - 1 QT</b>	/ea
<p>Solvent-based Creates an invisible barrier of defense for outdoor countertops, benches and other work surfaces. Protects surfaces from staining by water, oils, grease, wine, coffee, food and more. Recommended Surfaces: Concrete, wet-cast, granite, bluestone, sandstone and polished and thermaled surfaces. 50-75 sf per quart. Not for use on limestone, marble, structures under hydrostatic pressure.</p>		
171347	<b>Tenax Ager Tiger Color Enhancer - 8 OZ</b>	/ea
171247	<b>Tenax Ager Tiger Color Enhancer - 1 QT</b>	/ea
<p>Excellent on exotic stone. Suitable for aging marbles, travertines, stones, granites and agglomerates when the surface is very porous. Seals against oil and household stains. Provides an excellent wet effect stone enhancement.</p>		
900000	<b>Tenax Proseal Premium Sealer - 1 QT</b>	/ea
<p>Tenax Proseal is an ultra premium grade stone impregnator sealer for granite, engineered stone, quartzite, grout and high porosity materials such as marble, travertine and limestone. Works well with polished, honed, brushed, matte finishes. Will protect kitchen counters.</p>		
171357	<b>Tenax Terust Poutlice Powder - 8 OZ</b>	/ea
<p>Designed to remove rust stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, and sanded grout. Calcium based stones may etch and require re-polishing. It is recommended to reseal the stone after the stain has been removed.</p>		

## Semco Stone 2023

Item#		Price
**KF.75100	<b>Flex Hose - 3/4 x 100 Kink Free</b>	/lf
MD750	<b>Pump 750 Gph Tidal Wave Mag Drive</b>	/ea
MD1000	<b>Pump 1000 Gph Tidal Wave Mag Drive</b>	/ea
2 yr. limited warranty from date of end-consumer purchase on Pond Supreme & Mag-Drive Pumps.		
PAF-20	<b>Pump 2800 gph Atlantic Tidal Wave</b>	/ea
PAF-40	<b>Pump 4950 gph Atlantic Tidal Wave</b>	/ea
PAF-75	<b>Pump 5950 gph Atlantic Tidal Wave</b>	/ea
2yr. limited warranty from date of end-consumer purchase on Pump Supreme and 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps.		
2017-300	<b>Geogrid Hp300 (8.2 X 220) 200.44 Sq.Yds/Roll</b>	/ea
GSRW 3450	<b>GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll</b>	/ea
GSRW 3615	<b>GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll</b>	/ea
GSRW 365	<b>GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll</b>	/ea
Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093		
FNW4 04300	<b>SRW Landscape Fabric - NW4 (4 x 300)</b>	/ea
4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll		
FNW6 06300	<b>SRW Landscape Fabric - NW6 (6 x 300)</b>	/ea
6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll		
FPP1V 04050	<b>SRW Landscape Fabric - ProPlus IV (4 x 50)</b>	/ea
4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll		
FPPV 05250	<b>SRW Landscape Fabric - ProPlus V (5 x 250)</b>	/ea
5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll		
1245	<b>Steel Fabric Stick Pins 1000/cs</b>	/cs



## Semco Stone 2023

Item#		Price
3555-8	<p><b>Diamond Paver Edge - 8 ft.</b></p> <p>Diamond Paver Edge easily converts to flexible with use of a pruner. 8ft. strips, 10 per bundle. Stakes sold separately #765 or #761. 5 stakes recommended per 8ft. strip. Sold by the piece.</p>	/ea
765	<p><b>Metal Anchoring Stakes (Bulk)</b></p> <p>9in. galvanized metal stakes, 200 pieces per case. Used for #3555-8 Diamond. Sold by the piece.</p>	/ea
752	<p><b>Mighty Diamond Classic - 20 ft.</b></p> <p>Each 20ft. x 5in. flat strip comes with 4 metal stakes &amp; 1 connector per piece. 5 pieces per bundle. Sold by the piece.</p>	/ea
707-S	<p><b>Pro Steel Stakes 40 Each Per Case</b></p> <p>12 inch in height. 40 stakes per case. Sold by the each or the case.</p>	/ea
708	<p><b>Pro-Steel Edging - 10 ft. (Green) with 4 stakes</b></p> <p>14 gauge steel edging, green proclad protective coating 10ft. in length, 10 pcs per bundle, 100lf/ per bundle, 30 bundles per skid. Sold by the piece. Comes with 4 stakes per piece.</p>	/ea
707-B	<p><b>Pro-Steel Edging - 16 ft. (Black) with 6 stakes</b></p> <p>10 gauge steel edging, proclad protective coating. 16ft. in length, 5 pcs. per bundle, 80lf. per bundle, 20 bundles per skid. 300 lbs/bundle. Sold by the piece. Comes with 6 stakes per piece.</p>	/ea
DEX 1	<p><b>Dexpan 1 - 77-104 F *While Supplies Last*</b></p>	/ea
DEX 3	<p><b>Dexpan 3 - 23-50 F *While Supplies Last*</b></p> <p>Non-Explosive Controlled Demolition Agent. One 44 lb box of Dexpan can approx. fill up to 35 lf of 1.5 inch diameter holes. Drill holes should be 80-90% of depth. 50 boxes/plt</p>	/ea

**Effective March 15<sup>th</sup> 2023, our policy for “Orders Ready, Over 30 Days”**

- **After an order becomes ready for pickup or delivery, the customer will have 30days to accept delivery of material or get it scheduled for delivery.**
  - This applies to orders that we are to ship, as well as orders that the customer intends to handle the freight on.
  - If we are scheduling it, and are being delayed in acquiring a carrier, the customer will not be held responsible. – As long as they are agreeing to a reasonable market rate that we provide.
- **Once an order has hit the 30day threshold and is still sitting, the following will apply:**
  - Customer pays a 50% deposit to hold the order.
  - Without a deposit, the order **will be cancelled** out of the system and the material will be available for the next in line.
  - If a customer still wants the material on order after cancellation, a new order would be needed and current ETA's applied.
- **Order status will be tracked in line with the ETA's posted on the orders.**
  - *For example* : If an order is given an ETA to be complete on May 1<sup>st</sup>, but is ready early on April 10<sup>th</sup>, the 30day tracking doesn't start until May 1<sup>st</sup>.
  - If ready past the ETA, timing starts when ready to be picked up/shipped.
- **For any order that a customer would cancel *after* we have received the 50% deposit, that 50% will be handled as follows:**
  - We will refund 25% (*1/2 of their deposit amount* )
  - The remaining deposit, 25% of the order, will be the restocking fee as per our standard practice.

**If you would like to receive product specials & pricing updates via e-mail, please forward your e-mail address(es) to [info@semcostone.com](mailto:info@semcostone.com)**

**Useful Conversions**

- Square Feet = Square Inches X .007
- Square Yards = Square Feet X .111
- 1 Square Yard = 9 Square Feet
- 1 Cubic Yard = 27 Cubic Feet
- U.S. Gallons = Cubic Feet X 7.48
- Cubic Feet = 1 U.S. Gallon X .13368
- 1 U.S. Gallon weighs 8.33 pounds
- 1 Acre = 43,560 Square Feet
- Typical Home Yards = 5 to 7,000 sq.ft.

**Bagged Gravel**

- 1 Cubic Foot bag spread 1" thick covers 12 sq.ft
- 1/2 Cubic Foot bag spread 1" thick covers 6-9 sq.ft.

**Formulas for Calculations**

- Area in Square Feet = Length X Width
- Triangle Area = Base Length X .5 Perpendicular Height
- Circle Area = Diameter <sup>2</sup> X .7854
- Circle Circumference = Diameter X 3.1416
- Circle Diameter = Circumference X .31831
- Cubic Volume = Length X Width X Depth

**Coverage for Various Depths**

- ONE CUBIC YARD WILL COVER:*
- 324 Square Feet at a 1" depth
  - 162 Square Feet at a 2" depth
  - 108 Square Feet at a 3" depth
  - 81 Square Feet at a 4" depth
  - 65 Square Feet at a 5" depth
  - 54 Square Feet at a 6" depth

**Converting Tonnage to Coverage for Various Materials (Weight to Volume)**


<b><u>Material</u></b>	<b><u>Pounds per Cubic Yard</u></b>	<b><u>1 Ton Covers</u></b>
Limestone Aggregate	1900	111 Square Feet at 3" depth
Limestone Grade 8	2300	93 Square Feet at 3" depth
Meramec Rock	2000	108 Square Feet at 3" depth
Sand	2250	96 Square Feet at 3" depth
Landscaping Stone (most types)	2150	100 Square Feet at 3" depth
Lava Rock	1075	200 Square Feet at 3" depth
Limestone Dry Wallstone	NA	Wall 1 Foot High X 20 Feet Long
Sandstone Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Red Granite Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Brown Natural Wallstone	NA	Wall 1 Foot High X 25 Feet Long
Limestone Flagstone	NA	Walkway 3' Wide X 30 Feet Long
Sandstone Flagstone	NA	Walkway 3' Wide X 30 Feet Long

Semco Stone is the owner of the exclusive rights to the designs, concepts, drawings and material displayed in this publication and set forth herein including rights of reproduction, making derivative copies, distribution, public performance and public display. Any reproduction, duplication, publication, use or modification is strictly prohibited without the express written consent of Semco Stone.



*We Appreciate your Business!*





[www.SemcoStone.com](http://www.SemcoStone.com)

## OUR LOCATIONS

### CORPORATE OFFICE

(800) 814-1072  
50 Robinson Industrial Dr.  
Perryville, MO 63775  
[info@semcostone.com](mailto:info@semcostone.com)

### CINCINNATI, OHIO

(513) 725-0070  
11864 Chesterdale Road  
Cincinnati, OH 45246  
[infoOH@semcostone.com](mailto:infoOH@semcostone.com)

### COLUMBUS, OHIO

(614) 861-4668  
6015 Taylor Road  
Columbus, OH 43230  
[infoOH@semcostone.com](mailto:infoOH@semcostone.com)

### KANSAS CITY, MO

(816) 318-1203  
2515 Semco Drive  
Belton, MO 64012  
[infoKC@semcostone.com](mailto:infoKC@semcostone.com)